



Safe solutions for active charging and passive storage **LITHUM BATTERIES** NOT AS HARMLESS AS THEY SEEM







Preston Phipps only partners with industry-leading manufacturers. We are especially proud of our long-term relationship with Asecos. Asecos is the world's leading manufacturing for safety storage cabinets for flammables and compressed gas cylinders. Asecos cabinets are first class quality made in Germany. The success in these types of safety cabinets has led them into the development of safety eloping the North American version of the Lithium-ION storage cabinet that complies with safety and fire code regulations.

EXPERTISE LITHIUM-ION BATTERIES

With the worldwide development of devices that are powered by Lithium-ION batteries, the risks and dangers of accidents are becoming more and more important.



Today, it is not common to hear about an accident where people were injured or even have died. Property damage is sometimes catastrophic where fires burn for several days and after they are extinguished, can even reignite.


When incorrectly stored, lithium-ION batteries can pose a major fire and explosion hazard. Under certain circumstances damaged batteries can sometimes spontaneously ignite.

Charging and storage regulations are still very vague. Although European regulations have advanced, North America has been slow to react on making proper recommendations and impose laws that protect people and properties.

The technology is ready and there is no need to wait for the next disaster to happen. Asecos has the expertise and we have tested and developed the safest solution for storing and charging Lithium-ION batteries.



Lithium-ION batteries found in many popular consumer products, municipalities, manufacturing, health facilities, hospitalities and more.





LITHIUM-ION BATTERIES NOT AS HARMLESS AS THEY SEEM

Despite these concerns, lithium-ION batteries continue to be prevalent in many of today's most popular gadgets. With the increasing use of lithium-ION batteries, the dangers related to storing and charging are increasing.

Laws will eventually come into place, but in the meantime, we need solutions to minimize the risk and avoid fatalities.

Recommendation of North American Agencies:

"Lithium-ION batteries should generally be treated as a hazardous material".

Environmental Protection Agency

Unlike standard alkaline batteries, most lithium-ION batteries manufactured today contain a flammable electrolyte and have an incredibly high energy density. They can overheat and ignite under certain conditions, such as a short circuit, physical damage, improper design, or assembly. Once ignited, lithium-ION cell and battery fires can be difficult to extinguish.

-US Department of Transportation

A battery fire can also generate chemical gases that can potentially cause an explosion if they are not properly vented. Storing lithium-ION batteries in a regulated storage cabinet keeps all hazardous toxins contained.

-Travelers Insurance

"Lithium-ion batteries are increasingly found in devices and systems that the public and first responders use or interact with daily. While these batteries provide an effective and efficient source of power, the likelihood of them overheating, catching on fire, and even leading to explosions increases when they are damaged or improperly used, charged, or stored."

-NFPA (National Fire Protection Agency)

"Handle lithium-ION batteries carefully. **Do not** throw, modify, or tamper with them. Check for signs of damage. Keep your batteries in a safe place, out of sight and reach from children. If you carry batteries with you, keep them in a protective, non-metal case" **Do not** charge your battery for longer than the recommended charging time. Overcharging can cause your battery to overheat, which can lead to fires or explosions.

"Charge your battery **before** it drops below 30% to help it last longer and work safely. **Do not** keep it plugged in and charged at 100% for long periods. Unlike older types of batteries, you do not need to fully discharge lithium-ION batteries. This may harm them. Charge your product away from exit doors in case of fire."

—Canadian Government, Health Canada

In all of these fires, the lithium-ION fires, it is not a slow burn; there's not a small amount of fire, it literally explodes. It's a tremendous volume of fire as soon as it happens, and it's very difficult to extinguish and so it's particularly dangerous."

-FDNY Commissioner

Batteries should be stored in a well-ventilated, dry area kept between 40 and 80 degrees Fahrenheit. They should be stored away from direct sunlight, heat sources, and water. Batteries should be stacked so that they're stable and won't be bumped, knocked over or otherwise damaged.

-Safety Skills, an HSI Company



VORLD NEWS



THE NEWS AND WORLD REPORT

THE NEWS AND WORLD REPORT STOCKS FALL AS CORPORATE FEUDS ENSUE

BREAKING NEV



The fac Center didn't need of ¢

239/8

Lithium-ion battery fire rages in Jacksonville, FL

A Lithium-ion battery fire inside a factory in 125th. HazMat crews ~arby batteries as to Jacksonville, FL worked on ' avoid an e



Large lithium-lon container fire in Sweden only a day later On April 26, a large amount of lithium tories stored in a shipping reated a similar situation

near

Lithium-ion batter

blamed for yet anot.

fast-moving fire, Nev York City officials say

A lithium-ion battery sparked yet another fast-moving fire, this one in New York and neighboring laundromat, authorities aid.

Firefighters had water on five-minute-old flames inside Concourse Food Plaza, about 2 miles north of Yankee Stadium in the Bronx, but the blaze was already out of control, officials said.



Concerns over growing number of fires linked to lithium-ion batteries

More than 450 fires have been linked to lithium-ion batteries

In Australia, more than 450 fires have been linked to lithium-ion batteries over the past 18 months, according to data provided by state fire departments.

Most states only started tracking incidents involving lithium-ion batteries in recent years, however, Western Australia recorded 81 of these incidents last year, compared



2024

Why do EV and e-bike batteries keep catching on fire?

Charred remains of e-bikes and scooters sit outside of a building in Chinatown after four people were killed by a fire in an e-bike repair shop overnight on June 20, 2023 in New York City: PHOTO BY SPENCER PLAIT / Getty Images An overheating e-bike on board a TTC

INTERNATIONAL NEWS subway car led to a fire at the



#12

with 21 in 2018.

Fire and Rescue New South Wales said it responded to about 180 lithium-ion battery-related fires in the past 12 months, Victoria had 120 in the year to July, and Queensland had recorded 72 since 2021.

The latter figure included an e-scooter that caught fire at a Brisbane house last week and five people were hospitalized.

Lithium-Ion Battery Fires Double Since 2022 the fire was put out. the fire was put out, and the car was destroyed. The company Sajita hought the vehicle from offered her compensa-tion, but she said she would not buy another one.

Agnicszka Sajka of Toronto said her family had a terrible scare this gast June. Her two children were riding in toy car when it satted to sanoke and burst into flames. Sometimes kids are beite far away from "Sometimes kids are playing far away from their parents, but thank goodness I was right there because I feel it could have been much worse," snid Sajka. Sajka called the fire department, and she sa


"Tm never going to get a toy like this with a big battery in it ever again. You never realize that your children could be in why danger playing such danger playing with toys and things could change so

The number of lithium-ion battery fires in Toronto has nearly doubled this year, Toronto Fire Services (TFS).

Automor Fire Services (IFS). These batteries can be found in smartphones, laptops, toys and e-bikes. Ju 2022, TFS said it had to deal with 20 hatteries, but this year, that number In some cases, it's unknown what caused the fires, int these backes occur when the batteries have been int these backers occur when the batteries have been introduced batteries have a lat of energy in a suffi-package, and when they fail, goes into something alkd thermal runnway, said Cocco. 'It's why we highly recommend not overcharging over device. More it reaches capacity, mplug it and don't charge devices unattended.'



THE HAZARDS THE THERMAL RUNAWAY




One of the primary risks related to lithium-ION batteries is thermal runaway. Thermal runaway is a phenomenon in which the lithium-ION cell enters an uncontrollable, self-heating state. Thermal runaway can result in extremely high temperatures, violent cell venting, smoke and fire.

What causes thermal runaway?

Faults in a lithium-ION cell can result in a thermal runaway. These faults can be caused by internal failure or external conditions.

One example of such failure is an internal short circuit. In a lithium-ION cell, the cathode and anode electrodes are physically separated by a component called the separator. Defects in the cell that compromise the separator's integrity can cause an internal short circuit condition that can result in thermal runaway. Since high-density battery packs are the norm, hundreds of such cells are packed together to create one battery. Two or more such batteries are called a battery pack. If one cell overheats, the meltdown will spread and will continue until the entire pack is destroyed.



60 °C

MAX.

PERMITTED

TEMPERATURE

ELECTROLYTE

70 °C

BEGINS TO

VAPORIZE

130 °C

150 °C

250 °C





LITHIUM-ION BATTERIES BASIC SAFETY GUIDELINES

Below are some guidelines that will assist in incorporating lithium-ION battery safety into an employer's safety and health program.

Ensure lithium-ION batteries, chargers, and associated equipment are tested in accordance with an appropriate test standard. It is important to use charges that have the following certifications.





- Follow manufacturer's instructions for storage, use, charging, and maintenance.
- When replacing batteries and chargers for an electronic device, ensure they are specifically designed and approved for use with the device, and they are purchased from the device's manufacturer.
- Remove lithium-ION-powered devices and batteries from the charger once they are charged. Never overcharge or alter a battery in any way.
- Store lithium-ION batteries and devices in dry, cool locations.

CONCLUSION

Store and charge lithium-ION batteries in a safety storage cabinet!

- Inspect the batteries for signs of damage, such as bulging/cracking, hissing, leaking, rising temperature, and smoking. Immediately remove a device or battery from service and place it in an area away from flammable materials if any of these signs are present.
- If batteries are damaged, remove them from service, and dispose of them in accordance with local regulations. Contact a local battery recycling center for disposal instructions.





THE CABINETS AND THEIR FEATURES AT A GLANCE

CABINET FEATURES/MODEL	ION-S	ION-SDA	ION-SDAC	ION-SDA-PRO	ION-SDAC-PRO
90 min fire resistance from the outside	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
90 min fire resistance from the inside	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Self-closing doors	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Evacuable from site	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Safe lithium-ION battery storage	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Safe lithium-ION battery charging			\checkmark		\checkmark
Temperature detection		\checkmark	\checkmark	\checkmark	\checkmark
Smoke detection		\checkmark	\checkmark	\checkmark	\checkmark
Fire suppression system				\checkmark	\checkmark
Alarming - visual & auditive		\checkmark	\checkmark	\checkmark	\checkmark
Monitoring of all components				\checkmark	\checkmark
Testing mode				\checkmark	\checkmark
BMS communication				\checkmark	\checkmark
Compliance with US and CAN fire code	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
	MODEL FROM PAGE 9	MODEL FROM PAGE 10	MODEL FROM PAGE 11	MODEL FROM PAGE 12	MODEL FROM PAGE 13





MODEL ION-S FEATURES

GENERAL FEATURES

- Lithium-ION battery storage
- 90 MINUTES FIRE PROTECTION: Internal → External & External → Internal
- Triple hinged door; scratch and impact resistant surface
- Door mechanics outside the storage compartment area for increased protection
- Self-closing door with integrated automatic thermal release system (intumescent sealant)
- Keyhole with cylinder lock and locking state indicator (green/red)
- Integrated open base to facilitate transportation "quick-lift"

SIZE & CONFIGURATION

Single Door with Cabinet Exterior Dimensions: 599 W x 615 D x 1953 H (mm) 23-9/19 W x 24-1/4 D x 76-7/8 H (inches)



Double Door with Cabinet Exterior Dimensions: 1193 W x 615 D x 1953 H (mm) 47 W x 24-1/4 D x 76-7/8 H (inches)



Undermount Cabinet / Installation Under Work Surfaces Exterior Dimensions: 593 W x 574 D x 781 H (mm) 23-3/8 W x 22-10/16 D x 30-3/4" H (inches)







MODEL ION-SDA FEATURES

GENERAL FEATURES

- Lithium-ION battery storage
- 90 MINUTES FIRE PROTECTION: Internal → External & External → Internal
- Triple hinged door; scratch and impact resistant surface
- Door mechanics outside the storage compartment area for increased protection
- Self-closing door with integrated automatic thermal release system (intumescent sealant)
- Keyhole with cylinder lock and locking state indicator (green/red)
- Integrated open base to facilitate transportation "quick-lift"



SIZE & CONFIGURATION

Single Door with Cabinet

Exterior Dimensions: 599 W x 615 D x 1953 H (mm) 23-9/19 W x 24-1/4 D x 76-7/8 H (inches)



Double Door with Cabinet

Exterior Dimensions: 1193 W x 615 D x 1953 H (mm) 47 W x 24-1/4 D x 76-7/8 H (inches)







MODEL ION-SDAC FEATURES

GENERAL FEATURES

- Lithium-ION battery storage
- 90 MINUTES FIRE PROTECTION: Internal → External & External → Internal
- Triple hinged door; scratch and impact resistant surface
- Door mechanics outside the storage compartment area for increased protection
- Self-closing door with integrated automatic thermal release system (intumescent sealant)
- Keyhole with cylinder lock and locking state indicator (green/red)
- Integrated open base to facilitate transportation "quick-lift"

SIZE & CONFIGURATION

Single Door with Cabinet Exterior Dimensions:

599 W x 615 D x 1953 H (mm) 23-9/19 W x 24-1/4 D x 76-7/8 H (inches)



Double Door with Cabinet

Exterior Dimensions: 1193 W x 615 D x 1953 H (mm) 47 W x 24-1/4 D x 76-7/8 H (inches)









MODEL ION-SDA-PRO FEATURES

GENERAL FEATURES

- Lithium-ION battery storage
- 90 MINUTES FIRE PROTECTION: Internal → External & External → Internal
- Triple hinged door; scratch and impact resistant surface
- Door mechanics outside the storage compartment area for increased protection
- Self-closing door with integrated automatic thermal release system (intumescent sealant)
- Keyhole with cylinder lock and locking state indicator (green/red)
- Integrated open base to facilitate transportation "quick-lift"

SIZE & CONFIGURATION

Single Door with Cabinet Exterior Dimensions: 599 W x 615 D x 1953 H (mm) 23-9/19 W x 24-1/4 D x 76-7/8 H (inches)



Double Door with Cabinet

Exterior Dimensions: 1193 W x 615 D x 1953 H (mm) 47 W x 24-1/4 D x 76-7/8 H (inches)





2 1





MODEL ION-SDAC-PRO FEATURES

GENERAL FEATURES

- Lithium-ION batttery storage
- 90 MINUTES FIRE PROTECTION: Internal → External & External → Internal
- Triple hinged door; scratch and impact resistant surface
- Door mechanics outside the storage compartment area for increased protection
- Self-closing door with integrated automatic thermal release system (intumescent sealant)
- Keyhole with cylinder lock and locking state indicator (green/red)
- Integrated open base to facilitate transportation "quick-lift"

SIZE & CONFIGURATION

Single Door with Cabinet Exterior Dimensions: 599 W x 615 D x 1953 H (mm) 23-9/19 W x 24-1/4 D x 76-7/8 H (inches)



Double Door with Cabinet

Exterior Dimensions: 1193 W x 615 D x 1953 H (mm) 47 W x 24-1/4 D x 76-7/8 H (inches)









LITHIUM-ION SAFETY STORAGE CABINET

FREQUENTLY ASKED QUESTIONS

1. How do we know if your facility requires a Lithium-ION storage cabinet ? If you use and charge Lithium-ION batteries as part of your daily operations the cabinet should be part of the safety protocol.

2. How many Lithium-ION batteries can you store in a cabinet?

Cabinets should never exceed 2/3 of the allowable internal space and should be placed in a manner that is organized and secure.

3. What is the best location for the cabinet?

As close as possible to an exit door as it is made to be carted out with a lift.

4. Does the L-I cabinet require ventilation to the outdoors?

Not necessary, but the unit can be vented within the building to limit any excess heat buildup in it. Direct outdoor ventilation is not necessary.

5. For the models equipped with the charging option, what is the maximum amperage limit ?

15-20 amperage draw. Custom charging sizes are available on request.

- 6. What does one do if the monitoring system detects heat or smoke? Inspect the cabinet by following established safety procedures by your health and safety officer or contact the fire department.
- 7. Is there any government regulation that currently enforce facilities to have a Lithium-ION storage cabinets ?

At the moment there are no set regulations on how to properly store and charge Lithium-ION batteries.

- 8. Do insurance companies mandate these types of cabinets ? Not yet, but premiums or franchises can be reduced with the addition of such cabinets due to the 90min guarantee.
- **9.** If we decide on the PRO model, can we connect to our existing fire protection system? Yes, a custom configuration can allow to communicate to an existing system.
- **10. Do Lithium-ION cabinets require yearly certification or maintenance?** Yearly validation of all components is strongly recommended.







Find out more about these cabinets at prestonphipps.com Cabinets come in various sizes





Email: info@prestonphipps.com Web: prestonphipps.com